



PROJECT CONCEPT NOTE

CARBON OFFSET UNIT (CoU) PROJECT



Title: 5 MW Wind Power Project by M/s Transport Corporation of India Limited (TCIL) at Rajasthan

Version 1.0

Date of PCN: 22th April 2024

1st CoU Issuance Period: 16.06.2013 to 31.12.2023(10 Year 6 Month 15 Days)

1st Monitoring Period: 16.06.2013 to 31.12.2023(10 Year 6 Month 15 Days)

1st Crediting Period: 16.06.2013 to 31.12.2023(10 Year 6 Month 15 Days)

8 DECENT WORK AND
ECONOMIC GROWTH



13 CLIMATE
ACTION



7 AFFORDABLE AND
CLEAN ENERGY





Project Concept Note (PCN)
CARBON OFFSET UNIT (CoU) PROJECT

BASIC INFORMATION

Title of the project activity	5 MW Wind Power Project by M/s Transport Corporation of India Limited (TCIL) at Rajasthan.
Scale of the project activity	Small Scale
Completion date of the PCN	22/04/ 2024
Project Participants	Project Proponents: M/s Transport Corporation of India Limited, TCIL Corporate address: TCI House, 69 Institutional Area, Sector 32, Gurugram-122 207, Haryana, India.
Host Party	India
Applied methodologies and standardized baselines	Type (Renewable Energy Projects) UNFCCC Methodology AMS-I.D: “Grid connected renewable electricity generation”, Version 18 UCR Protocol Standard Baseline
Sectoral scopes	01 Energy industries (Renewable/Non Renewable Sources)
SDG Impacts:	SDG7 Affordable and Clean energy SDG8 Decent work and economic growth SDG13 Climate Action
Estimated amount of total GHG emission reductions per year	8656 CoUs/Yr (8656 tCO₂eq/Yr)

SECTION A. Description of project activity

A.1. Purpose and general description of Carbon offset Unit (CoU) project activity

The project activity titled **5 MW Wind Power Project by M/s Transport Corporation of India Limited, (TCIL)** is renewable (wind) energy projects located at the following locations in Country: India:

Sr No	Name of Wind Farm	Installed Capacity (MW)	State	District	Site
01	Transport Corporation of India Limited	5 MW	Rajasthan	Jaisalmer	Soda-Mada Baramsar

The wind farm is owned by Transport Corporation of India Limited, TCIL (Project Proponent or PP). The total installed capacity of the Transport Corporation of India Limited Wind Project is 5 MW wind power project in Rajasthan. The Transport Corporation of India Limited Wind Projects consists of 4 WTGs. The entire Engineering, Procurement and Construction (EPC) are provided by M/S Suzlon Energy Ltd.

The generated electricity from the WTGs is grid connected wind power project located in Soda-Mada and Baramsar village of Jaisalmer district of Rajasthan (India). The purpose of this plant installation to supply electricity to regional Grid. The wind power projects are operational activities with continuous reduction of GHGs, currently being applied for voluntary carbon offset units (CoUs) under “Universal Carbon Registry” (UCR).

In the absence of the project activity, electricity would have been delivered to the grid by the operation of fossil fuel-based grid-connected power plants and by the addition of new fossil fuel-based generation sources in the Grid. As is the nature of wind projects (renewable energy), no fossil fuel is involved for power generation in the project activity. The electricity produced by the project is directly contributing to climate change mitigation by reducing the anthropogenic emissions of greenhouse gases (GHGs, i.e., CO₂) into the atmosphere by displacing an equivalent amount of power at grid.

The project activity is hence the installation of new grid connected renewable power plants/units. The baseline scenario and scenario existing prior to the implementation of the project activity are

both the same.

The project activity is displacing an estimated annual net electricity generation i.e., 9618 MWh/Yr from the Indian grid system, which otherwise would have been generated by the operation of fossil fuel-based grid-connected power plant. The estimated annual average CO₂e emission reductions by the project activity are expected to be 8656 tCO₂e / Yr, whereas actual emission reduction achieved during the first CoU period shall be submitted as a part of monitoring and verification.

Since the project activity will generate electricity through wind energy, a clean renewable energy source it does not cause any negative impacts on the environment and there by contributes to climate change mitigation efforts.

The Owner of the project is Transport Corporation of India Limited. The details along with commissioning period are as follows:

	Location	COD	Village	District	State
1	J227	30 September 2004	Soda-Mada	Jaisalmer	Rajasthan
2	J228	30 September 2004	Soda-Mada	Jaisalmer	Rajasthan
3	J70	16 June 2003	Baramsar	Jaisalmer	Rajasthan
4	J71	16 June 2003	Baramsar	Jaisalmer	Rajasthan

Project's Contribution to Sustainable Development:

Indian economy is highly dependent on “Coal” as fuel to generate energy and for production processes. Thermal power plants are the major consumers of coal in India and yet the basic electricity needs of a large section of population are not being met. This results in excessive demands for electricity and places immense stress on the environment.

Changing coal consumption patterns will require a multi-pronged strategy focusing on demand, reducing wastage of energy and the optimum use of renewable energy (RE) sources. This project activity is a green field activity where fossil grid power is the baseline. The renewable power generation is gradually contributing to the share of clean & green power in the grid; however, grid emission factor is still on higher side which defines the grid as distinct baseline.

The Government of India has stipulated following indicators for sustainable development in the interim approval guidelines for such projects which are contributing to GHG mitigations. The Ministry of Environment, Forests & Climate Change, has stipulated economic, social,

environment and technological well-being as the four indicators of sustainable development. It has been envisaged that the project shall contribute to sustainable development using the following ways:

Social well-being:

- Social well-being is assessed by contribution by the project activity onwards improvement in living standards of the local community, temporary and permanent basis.
- The project activity has resulted in increased job opportunities for the local population on temporary and permanent basis.
- Manpower was required both during erection and operation of the wind farms. This has resulted in poverty alleviation of the local community and development of basic infrastructure leading to improvement in living standards of the local population.

Economic well-being:

- The project activity has created direct and indirect job opportunities to the local community during installation and operation of the WEGs.
- The investment for the project activity has increased the economic activity of the local area.
- The project activity also contributes in economic well-being of the nation's economy by reducing import of fossil fuel for electricity generation in hard currency

Environmental well-being:

- The project utilizes wind energy for generating electricity which otherwise would have been generated through alternate fuel (most likely- fossil fuel) based power plants, contributing to reduction in specific emissions (emissions of pollutant/unit of energy generated) including GHG emissions.
- As wind power projects produce no end products in the form of solid waste (ash etc.), they address the problem of solid waste disposal encountered by most other sources of power.
- Being a renewable resource, using wind energy to generate electricity contributes to resource conservation. Thus, the project activity causes no negative impact on the surrounding environment.

Technological well-being:

- There is continuous research and development on the geometry of the wind blades, height of towers, diameters of towers, etc., which augurs well for the technological well-being in the

development of wind energy to produce clean electricity.

- The generated electricity from the project activity is connected to the grid. The project activity improves the supply of electricity with clean, renewable wind power while contributing to the regional/local economic development
- Wind Energy plants provide local distributed generation, and provide site-specific reliability and transmission and distribution benefits including:
 - Improved power quality
 - Reactive power control
 - Mitigation of transmission and distribute on congestion

With regards to ESG credentials:

At present specific ESG credentials have not been evaluated, however, the project essentially contributes to various indicators which can be considered under ESG credentials. Some of the examples are as follows:

Under Environment:

The following environmental benefits are derived from the project activity:

- Produces renewable electricity without any GHG emissions.
- Wind power plants have little impact on the surrounding ecology.

For the PPs, energy sale pattern is now based on renewable energy due to the project and it also contributes to GHG emission reduction and conservation of depleting energy sources associated with the project baseline. Hence, project contributes to ESG credentials.

A.2 Do no harm or Impact test of the project activity:

There are social, environmental, economic and technological benefits which contribute to sustainable development. Rational: As per 'Central Pollution Control Board (Ministry of Environment & Forests, Govt. of India)', final document on revised classification of Industrial Sectors under Red, Orange, Green and White Categories (07/03/2016), it has been declared that wind project activity falls under the "White category".

White Category projects/industries do not require any Environmental Clearance such as 'Consent to Operate' from PCB as such project does not lead to any negative environmental impacts. Additionally, as per Indian Regulation, Environmental and Social Impact Assessment is not required for Wind Projects.

United Nations Sustainable Development Goals:



The project activity generates electrical power using wind energy which is generated from wind mills, thereby displacing non-renewable fossil resources resulting in sustainable, economic and environmental development. In the absence of the project activity, an equivalent amount of power generation would have taken place through fossil fuel dominated power generating stations.


Thus, the renewable energy generation from project activity will result in a reduction of greenhouse gas emissions. Positive contribution of the project to the following Sustainable Development Goals:

SDG13: Climate Action

SDG7: Affordable and Clean Energy

SDG8: Decent Work and Economic Growth

Development Goals	Targeted SDG	Target Indicator (SDG Indicator)
 <p data-bbox="277 1094 418 1157">13 CLIMATE ACTION</p> <p data-bbox="277 1346 480 1419">SDG13: Climate Action</p>	<p data-bbox="561 968 878 1129">13.2: Integrate climate change measures international policies strategies and planning</p> <p data-bbox="561 1136 846 1209">Target: 8656 tCO₂ per annum</p>	<p data-bbox="932 989 1471 1524">13.2.1: Number of countries that have communicated establishment or operationalization of an integrated policy/ strategy/ plan which increases their ability to adapt to the adverse impacts of climate change, and foster climate resilience and low greenhouse gas emissions development in a manner that does not threaten food production (including a national adaptation plan, nationally determined contribution, national communication, biennial Update report or other)</p>
 <p data-bbox="277 1566 480 1619">7 AFFORDABLE AND CLEAN ENERGY</p> <p data-bbox="237 1797 529 1871">SDG7: Affordable and Clean Energy</p>	<p data-bbox="561 1577 902 1738">7.2: By 2030, Increase substantially the share of renewable energy in the global energy mix</p> <p data-bbox="561 1766 854 1839">Target: 9618 MWh per annum</p>	<p data-bbox="932 1577 1471 1650">7.2.1: Renewable energy share in the total final energy consumption</p>

 <p>SDG8: Decent Work and Economic Growth</p>	<p>8.5: By 2030, achieve full and productive employment and decent work for all women and men, including for young people and persons with disabilities, and equal pay for work of equal value Target: Training</p>	<p>8.5.1: Average hourly earnings of female and male employees, by occupation, age and persons with disabilities.</p>
--	---	---

A.3. Location of Project activity>>

Country: India

Sr No	Name of Wind Farm	Installed Capacity (MW)	Village	District	State
01	Transport Corporation of India Limited	5	Soda-Mada Baramsar	Jaisalmer	Rajasthan





Figure-1- Location of the project activity

Transport Corporation of India Limited				
Sr. No.	Location	INSTALLED CAPACITY (MW)	Latitude	Longitude
1	J227	1.25	N 26° 41' 00.2"	E 70° 52' 18.1"
2	J228	1.25	N 26° 41' 08.4"	E 70° 52' 10.8"
3	J70	1.25	N 27° 00' 04.8"	E 70° 54' 09.7"
4	J71	1.25	N 26° 59' 57.1"	E 70° 54' 18.2"



Image: WTG - J 70



WTG- J 71



WTG- J 227





WTG- J 228

A.4. Technologies/measures

All the machines are SUZLON make and have been developed using state of the art technology. In wind energy generation, kinetic energy of wind is converted into mechanical energy and subsequently into electrical energy. Wind has considerable amount of kinetic energy when blowing at high speeds. This kinetic energy when passes through the blades of the WEG is converted into mechanical energy and rotates the wind blades. When the wind blades rotate, the connected generator also rotates, there by producing electricity. The technology is a clean technology since there are no GHG emissions associated with the electricity generation.

The important parts of a wind mill are:

Main Tower This is a very tall structure with a ladder at the bottom. The ladder is used for operation and maintenance

Blades The WEGs are provided with three blades. The blades are self-supporting in nature made up of Fiber Reinforced Polyester. The blades are mounted on the hub.

Nacelle The Nacelle is the one which contains all the major parts of a WEG. The nacelle is made up of thick rugged steel and mounted on a heavy slewing ring. Under normal operating conditions, the nacelle would be facing the upstream wind direction.

Hub The Hub is an intermediate assembly between the wing and the main shaft of the wind turbine. Inside the hub, a system to actuate the aerodynamic brake is fitted. The hub is covered with nosecone.



Main Shaft The shaft is to connect the gear box and the hub. Solid high carbon steel bars or cylinders are used as main shaft. The shaft is supported by two bearings.

Gear Box, Bearing and Housing The gearbox is used to increase the speed ratio so that the rotor speed is increased to the rated generator speed. Oil cooling is employed to control the heating of the gearbox. Gearboxes are mounted over dampers to minimize vibration. The main bearings are placed inside housing.

Brake Brake is employed in the WEGs to stop the wind turbine mainly for maintenance check. Brakes are also applied during over speed conditions of the wind turbine. The brakes are placed on the high-speed shaft.

Generator The generator uses induction type of generator. The generators are provided with monitoring sensors in each phase winding to prevent damage to the generators.

In the absence of the project activity the equivalent amount of electricity would have otherwise been generated by the operation of fossil fuel-based grid-connected power plants and fed into unified India grid system, hence baseline scenario of the project activity is the grid-based electricity system, which is also the pre-project scenario as discussed in the previous section.



Technical Specifications:

1	Turbine Model	Suzlon S_66 (1.25 MW)
Operating Data		
2	Rated power	1250 kW
Rotor		
3	Rotor Diameter	66 m
4	Hub height	74 m
5	Rotational speed	13.9/20.8 rpm
6	Rotor material	GRP
Generator		
11	Type	Asynchronous generator

12	Rated output	250 / 1250 kW
13	Operating voltage	690 V
47	frequency	50 Hz
Gearbox		
13	Type	Integrated, 3 stage gearbox
14	Nominal load	1390 kW
15	Type of cooling	Oil cooling system

A.5. Parties and project participants>>


Party (Host)	Participants
India	Project Proponents- M/s Transport Corporation of India Limited, (TCIL).

A.5. Baseline Emission

In the absence of the project activity, the equivalent amount of electricity would have been imported from the regional grid (which is connected to the unified Indian Grid system(NEWNE Grid)), which is carbon intensive due to predominantly sourced from fossil fuel based power plants. Hence, baseline scenario of the project activity is the grid-based


BASILINE SCENARIO

Thermal energy would be produced by more-GHG-intensive means based on the use of non-renewable biomass.



PROJECT SCENARIO

Use of renewable energy technologies for thermal energy generation, displacing non-renewable biomass use.



A.6. De-bundling>>

This **5 MW Wind Power Project by M/s Transport Corporation of India Limited (TCIL) at Rajasthan** is not de-bundled component of a larger carbon or GHG registered project activity.

SECTION B. Application of methodologies and standardized baselines

B.1. References to methodologies and standardized baselines

Sectoral Scope- 01, Energy industries (Renewable/Non-renewable sources)

Type-I–Renewable Energy Projects

Category

AMS-I.D: “Grid connected renewable electricity generation”, version 18.0 (Small Scale Consolidated Methodology)

B.2. Applicability of methodologies and standardized baselines

The project activity involves generation of grid connected electricity from the construction and operation of a new wind power based power project for captive consumption of the power at the PP’s facility. The project activity has installed capacity of **5 MW** which will **qualify for a small scale** project activity under Type-I of the Small Scale methodology. The project status is corresponding to the methodology AMS-I.D., version 18 and applicability of methodology is discussed below:

This project is included within the UCR Standard Positive List of technologies and is within the Small-scale CDM thresholds (e.g., installed capacity Less than 15 MW). The UCR positive list comprises of: (a) generation of grid connected electricity from the construction and operation of a new wind power-based power project for supply to grid
Project activity involves power generation with installed capacity of 5 MW .
The project activity is a Renewable Energy Project i.e., Wind Power Project which falls under applicability criteria option1 (a) i.e., “Install a Green field power plant”. Hence the project Activity meets the given applicability criteria on of AMS-I.D
The project activity is wind energy power project and not a hydro power project activity.
The project activity does not involve any retrofit measures nor any replacement to existing WEGs. Hence there are no new units having either renewable or non-renewable components(e.g., a Wind/diesel unit).
The project activity is not a combined heat and power (co-generation) system.
No biomass is involved; the project is only a wind energy power project. The case for retrofit, rehabilitation or replacement, towards a Large-scale project is also not applicable.

The project activity is a voluntary coordinated action. The project activity is a Greenfield of 5 MW Wind Electric Project, i.e., no capacity addition was done to any existing power plant.

The project activity is not a landfill gas, waste gas, waste water treatment and agro-industries project, and does not recover methane emissions and is not eligible under any relevant Type III category.

The project activity comprises of renewable power/energy generation through wind energy and displaces fossil fuel powered electricity from the regional grid by supplying renewable power to the grid itself. Hence this UNFCCC CDM Methodology is applicable and fulfilled.

The project activity involves the installation of new power plants at listed sites where there was no renewable energy power plant operating prior to implementation of project.

B.3. Applicability of double counting emission reduction>>

The project activity was registered in CDM under ID 0267 on 14 April 2006 for the period of 16 June 2003 - 15 June 2013, CER's was issued for the same period. The project activity is now seeking CoUs under the UCR CoU Standard/Program for the period 16/06/2013 to 31/12/2023 and hence there is no double counting issue of carbon credits for the said vintage period. Additionally, the same has been stated in the undertaking provided in the Double Counting Avoidance Assurance Document (DAA) by the PP.

Details of the same project registered in CDM are as follows,

(<https://cdm.unfccc.int/Projects/DB/BVQI1140152556.27/view>)


UNFCCC CDM Title	5 MW wind power project at baramsar and soda mada, district jaisalmer, Rajasthan, India	
CDM ID	0267	
Host Parties	M/S Transport corporation of India limited (TCIL)	
Sectoral Scopes	Energy industries (renewable - / non-renewable sources)	
Methodology	AMS-I.D. ver. 7 - Renewable Electricity Generation for a grid.	
Other Details	CDM Registration Date	14/04/2006
	Crediting Period	16 June 2003 - 15 June 2013 (Fixed)

<p>Prior Issuance of CDM Credits (CER)</p>	<p>The first monitoring period for the project activity is from 16/06/2003 to 01/07/2006 (Both days included) and was issued 12,600 CERs. Serial Range: Block start: IN-5-17782123-1-1-0-267 Block end: IN-5-17794722-1-1-0-267</p> <p>The second monitoring period for the project activity is from 02/07/2006 to 01/09/2008 (Both days included) and was issued 12,674 CERs. Serial Range: Block start: IN-5-117715759-1-1-0-267 Block end: IN-5-117728432-1-1-0-267</p> <p>The third monitoring period for the project activity is from 02/09/2008 to 30/06/2011 (Both days included) and was issued 14,183 CERs. Serial Range: Block start: IN-5-186467819-1-1-0-267 Block end: IN-5-186482001-1-1-0-267</p> <p>The fourth monitoring period associated with the project activity. It covers the period from 01/07/2011 to 15/06/2013 (Both days included). The total emission reductions achieved in this monitoring period are 8,451 ERs. Serial Range: Block start: IN-5-305219022-1-1-0-267 Block end: IN-5-305225496-1-1-0-267 Serial Range: Block start: IN-5-305225497-2-2-0-267 Block end: IN-5-305227190-2-2-0-267</p>
--	--

B.4. Project boundary, sources and greenhouse gases (GHGs)

As per applicable methodology AMS-I.D.Version18, “The spatial extent of the project boundary includes the project power plant and all power plants connected physically to the electricity system that the project power plant is connected to.”

Thus, the project boundary includes the Wind Turbine Generators (WTGs) and the Indian grid system.



	Source	GHG	Included?	Justification/Explanation
Baseline	Grid-connected electricity	CO2	Included	Major source of emission
		CH4	Excluded	Excluded for simplification. This is conservative
		N2O	Excluded	Excluded for simplification. This is conservative
Project Activity	Greenfield power project	CO2	Excluded	Excluded for simplification. This is conservative
		CH4	Excluded	Excluded for simplification. This is conservative
		N2O	Excluded	Excluded for simplification. This is conservative

Net GHG Emission Reductions and Removals

Thus, $ER_y = BE_y - PE_y - LE_y$

Where:

ER_y = Emission reductions in year y (tCO₂/y)

BE_y = Baseline Emissions in year y (t CO₂/y)

PE_y = Project emissions in year y (tCO₂/y)

LE_y = Leakage emissions in year y (tCO₂/y)

B.5. Establishment and description of baseline scenario (UCR Protocol)>>

Baseline emissions include only CO₂ emissions from electricity generation in power plants that are displaced due to the project activity. The methodology assumes that all project electricity generation above baseline levels would have been generated by existing grid-connected power plants and the addition of new grid-connected power plants.

Total Installed Capacity: 5 MW

Estimated Annual Emission Reductions:

$$BE_y = E_{GBL, y} \times EF_{CO_2, GRID, y}$$

BE_y = Emission reductions in a yearly.

where:

$EGBL_y$ = Quantity of net electricity supplied to the grid as a result of the implementation of the UCR project activity in year (MWh)

$EF_{Grid, CO_2, y}$ = CO₂ emission factor of the grid in year y (tCO₂/MWh) as determined by the UCR Standard.

$$BE_y = 9618 * 0.9$$

$$BE_y = 8656.$$

A "grid emission factor" refers to a CO₂ emission factor (tCO₂/MWh) which will be associated with each unit of electricity provided by an electricity system. The UCR recommends an emission factor of 0.9tCO₂/MWh for the 2013-2020 years as a fairly conservative estimate for Indian projects not previously verified under any GHG program. Also, for the vintage 2021-23, the combined margin emission factor calculated from CEA database in India results into same emission factors as that of the default value. Hence, the same emission factor has been considered to calculate the emission reduction.

Project Emissions As per AMS-I.D version 18.0, only emission associated with the fossil fuel combustion, emission from operation of geo-thermal power plants due to release of non-condensable gases, emission from water reservoir of Hydro should be accounted for the project emission

Since the project activity is a wind power project, project emission for renewable energy plant is nil. Thus,

$$PE_y = 0.$$

Leakage As per AMS-I.D version 18.0, "if the energy generating equipment is transferred from another activity, leakage is to be considered." In the project activity, there is no transfer of energy generating equipment and therefore the leakage from the project activity is considered as zero. Hence,

$$LE_y = 0$$

The actual emission reduction achieved during the first crediting period shall be submitted as a part of first monitoring and verification. However, for the purpose of ex-ante estimation, following calculation has been submitted:

$$ER_y = BE_y - PE_y - LE_y$$

$$ER_y = 8656 - 0 - 0$$

Estimated annual Emission Reductions (ER_y) = 8656 tCO₂/year

B.6. Changes to start date of crediting period>>

There is no change in the start date of crediting period

B.8. Permanent changes from PCN monitoring plan, applied methodology or applied standardized baseline>>

There are no permanent changes from registered PCN monitoring plan and applied methodology

B.9. Monitoring period number and duration>>

1st Monitoring Period: 16.06.2013 to 31.12.2023 (10 Year 6 Month 15 Days)

1st Crediting Period: 16.06.2013 to 31.12.2023 (10 Year 6 Month 15 Days)

B.10. Monitoring plan

Key Data Monitored:

- Quantity of net electricity supplied to the grid

1. Monitoring Plan Objective and Organization

PPs are the project implementers and monitor the electricity delivered to the electricity grid by the project activity. The data is already archived electronically and is stored since **16.06.2013**.

To ensure that the data is reliable and transparent, the PPs have established Quality Assurance and Quality Control (QA&QC) measures to effectively control and manage data reading, recording, auditing as well as archiving data and all relevant documents. The data is monitored on a daily basis and is submitted to PPs on a daily basis.

PPs have implemented QA&QC measures to calibrate and ensure the accuracy of metering and safety aspects of the project operation. The metering devices are calibrated and inspected properly and periodically, according to state electricity board's specifications and requirements to ensure accuracy in the readings.

2. Data and Parameters to be monitored

The project activity essentially involves generation of electricity from wind, the employed WEGs can only convert wind energy into electrical energy and cannot use any other input fuel for electricity generation. Thus, no special ways and means are required to monitor leakage from the project activity. The recording of the electricity fed to the state utility grid is carried out jointly at the incoming feeder of the state power utility. The joint measurement is carried out once in a month in presence of both parties (the developer's representative and officials of the state power utility). Both parties sign the recorded reading.

Data/Parameter:	EGy
Data unit:	MWh
Description:	Quantity of net electricity supplied by the Project Activity to the grid in year y
Source of data:	JMR. Statement of net export of power to the grid issued Monthly by State Electricity Board or any other competent authority as applicable.
Measurement procedures (if any):	To be specified by State Electricity Board
Monitoring frequency:	<p>The net energy exported to the grid is measured every month using calibrated energy meter by the State Electricity Board authorities in the presence of the project implementer or its representatives. The meter/s shall be jointly inspected, and sealed by authorized representatives of the company and the state utility.</p> <p>Measuring procedure: Will be measured by an export-import energy meter. The net electricity exported by the project plant would either be directly sourced as a measured parameter or be calculated by deducting the amount of imported electricity from the total amount of exported electricity.</p> <p>Accuracy class of energy meter: As per Power Purchase Agreement (PPA) or relevant National standards amended/modified from time to time.</p> <p>Calibration Frequency: As per the Central</p>

	<p>Electricity Authority the testing and calibration frequency should be minimum once in five years. However, the calibration will be done following the relevant applicable National Guidelines updated from time to time during the operation of the project activity.</p> <p>Entity responsible: Aggregator</p>
QA/QC procedures:	<p>Monitoring frequency: Continuous Measurement frequency: Hourly Recording frequency: Monthly The electricity meter/s record both export and import of electricity from the solar Power plant and the readings with regard to net electricity generated will be used for calculation of emission reductions. The net electricity supplied to the grid will be crosschecked with the monthly invoices. The meter/s would be checked for accuracy and the meters will be calibrated as per the procedures of State Electricity Board as per the national or international standards. Measurement results shall be cross</p>
Purpose of Data	Calculation of baseline emissions

Data/Parameter	EF, CO ₂ , GRID, y
Data unit	tCO ₂ /MWh
Description	Fixed Ex-Ante
Of data Value(s) applied	UCR Standard Protocol As per Standard
Measurement methods and procedures	Fixed
Monitoring frequency	NA
Purpose of data	To estimate baseline emissions