

Monitoring Report CARBON OFFSET UNIT (CoU) PROJECT



Title: 3 MW Ground Mounted Solar Power Project by M/S Orito Polyfab Pvt. Ltd.

Version 1.0

Date 17/01/2023

First CoU Issuance Period: 01 Year and 07 Months

First Monitoring Period: 17/06/2021 to 31/12/2022



Monitoring Report (MR) CARBON OFFSET UNIT (CoU) PROJECT

Monitoring Report			
Title of the project activity	3 MW Ground Mounted Solar Power Project by M/S Orito Polyfab Pvt. Ltd.		
UCR Project Registration Number	099		
Version	1.0		
Completion date of the MR	17/01/2023		
Monitoring period number and duration of this	Monitoring Period Number: 01		
monitoring period	Duration of this monitoring Period: 01 Year and 07 Months		
	(17/06/2021 to 31/12/2022) first and last day included		
Project participants	Creduce Technologies Private Limited (Representator)		
	M/s Orito Polyfab Pvt Ltd (Developer)		
Host Party	India		
Applied methodologies and standardized baselines	Applied Baseline Methodology:		
	AMS-I. D: "Grid connected renewable electricity		
	generation", Version 18.0		
Sectoral scopes	01 Energy industries		
	(Renewable/Non-Renewable Sources)		
Net amount of GHG emission reductions for this	2021: 1,953 CoUs (1,953 tCO ₂ e)		
monitoring period	2022: 4,165 CoUs (4,165 tCO ₂ e)		
Total:	6,118 CoUs (6,118 tCO ₂ e)		

SECTION A. Description of project activity

A.1. Purpose and general description of project activity >>

The proposed project activity with title under UCR "3 MW Ground Mounted Solar Power Project by M/S Orito Polyfab Pvt. Ltd.", is a grid connected renewable power generation activity which incorporates installation and operation of Solar Photovoltaic power generation project in Patan district, in the state of Gujarat, in India. The project has aggregated installed capacity of 3000 kW. The project is an operational activity with continuous reduction of GHG, currently being applied under "Universal Carbon Registry" (UCR).

a) Purpose of the project activity and the measures taken for GHG emission reductions >>

The project activity aims to harness Solar radiation of sun which is a renewable source, to generate electricity. The net generated electricity from the project activity is used for captive consumption by the project proponent under the Wheeling Agreement signed between the 'M/s Orito Polyfab Pvt Ltd' (herein after called as Project Proponent or PP) Project Proponent (PP) and Uttar Gujarat Vij Company Limited (UGVCL).

Village	Taluka	District	Туре	Total installed capacity kWp	Commissioning date
Nani Chandur	Sami	Patan	Ground mounted	3001.5	17/06/2021

In pre-project scenario the State utility was importing the required electricity from the NEWNE grid to meet its requirement of electrical energy. Currently, NEWNE grid is connected to large numbers of fossil fuel-based power plants. Hence, project activity is displacing the gross electricity generation i.e., 6,798 MWh from the NEWNE grid, which otherwise would have been imported from the grid. The project activity doesn't involve any GHG emission sources.

The annual and the total CO_2e emission reduction by the project activity over the defined monitoring period is as per **Annexure I.**

b) Brief description of the installed technology and equipment>>

The project activity involves Ground Mounted Photovoltaic (PV) Plant having aggregated installed capacity of 3000 kW (3001.5 kWp). The project activity uses Polycrystalline Silicon solar photovoltaic technology to generate clean energy. Solar radiation is converted directly into electricity by solar cells (photovoltaic cells). In such cells, a small electric voltage is generated when light strikes the junction between a metal and a semiconductor (such as silicon) or the junction between two different semiconductors. Photovoltaic module consists of several photovoltaic cells connected by circuits and sealed in an environmentally protective laminate, which forms the fundamental building blocks of the complete PV generating unit. Several PV panels mounted on a frame are termed as PV Array.

c) Relevant dates for the project activity (e.g., construction, commissioning, continued operation periods, etc.)>>

The duration of the crediting period corresponding to the monitoring period is covered in this monitoring report.

UCR Project ID	:	099
Commissioning Date	:	17/06/2021
Start Date of Crediting Period	:	17/06/2021

d) Total GHG emission reductions achieved or net anthropogenic GHG removals by sinks achieved in this monitoring period>>

The total GHG emission reductions achieved in this monitoring period is as follows:

Summary of the Project Activity and ERs Generated for the Monitoring Period		
Start date of this Monitoring Period	17/06/2021	
Carbon credits claimed up to	31/12/2022	
Total ERs generated (tCO ₂ e)	6,118 tCO ₂ e	
Leakage	0	
Project Emission		

e) Baseline Scenario>>As per the approved consolidated methodology AMS-I.D. Version 18

If the project activity is the installation of a new grid-connected renewable power plant/unit, the baseline scenario is the following: "The baseline scenario is that the electricity delivered to the grid by the project activity would have otherwise, been generated by the operation of grid-connected power plants and by the addition of new generation sources into the grid".




Figure 1 Baseline Scenario

A.2. Location of project activity>>

Country	:	India
State	:	Gujarat
Village	:	Nani Chandur
Taluka	:	Sami
District	:	Patan

The project site is in village Nani Chandur of Patan district, Gujarat. The project site is well connected from airport and railway station. The geographic co-ordinates of the project location are Latitude: 23°34'53.4"N, Longitude: 71°37'56.5"E.

The representative location map is included below:



(Courtesy: google images and www.mapofindia.com)

A.3. Parties and project participants >>

Party (Host)	Participants
India	Creduce Technologies Private Limited (Representator)
	Contact person: Shailendra Singh Rao Mobile: +91 9016850742, 9601378723 Address: 2-O-13,14 Housing Board Colony, Banswara, Gujarat - 327001, India.
	M/s Orito Polyfab Pvt Ltd (Developer) Address: Sr. No. 128-129, AT & PO- Agiyo Village, Desasan road, Nr. N.H 8, Himmatnagar-Shamlaji road, Ta: Himmatnagar, Dist: Sanarkantha – 383001, Gujarat, India.

A.4. References to methodologies and standardized baselines >>

SECTORAL SCOPE - 01 Energy industries (Renewable/Non-Renewable Sources)

ТҮРЕ	-	Renewable Energy Projects
CATEGORY	-	AMS-I. D: "Grid connected renewable electricity generation", Version 18

A.5. Crediting period of project activity >>

Start Date of Crediting period : 17/06/2021

Length of the crediting period : 01 Year and 07 Months

i.e., 17/06/2021 to 31/12/2022 (Both the dates are inclusive).

A.6. Contact information of responsible persons/entities >>

Name	:	Shailendra Singh Rao
Contact No	:	+91 9016850742, 9601378723
E-Mail	:	shailendra@creduce.tech

SECTION B. Implementation of project activity

B.1. Description of implemented registered project activity >>

a) Provide information on the implementation status of the project activity during this monitoring period in accordance with UCR PCN>>

The project consists of Photo Voltaic Plant of total installed capacity of 3 MW. The plant was commissioned on 17/06/2021 after taking approval from Gujarat Energy Development Agency (GEDA). The project generates clean energy by utilizing the Solar Radiations.

b) For the description of the installed technology, technical process and equipment, include diagrams, where appropriate>>

Photovoltaic module consists of several photovoltaic cells connected by circuits and sealed in an environmentally protective laminate, which forms the fundamental building blocks of the complete PV generating unit. Several PV panels mounted on a frame are termed as PV Array. The project activity has used the reliable and proven technology from supplier to ensure that an environmentally safe and sound technology is only being implemented in the proposed project activity leading to the GHG reduction.

The technical arrangement of the project activity is as provided below:

Parameter	Description
Total number of Photovoltaic Modules	8,700
Rating of Photovoltaic Module	345 Wp
Module make	ZnShine ZX P6-LD72-345/P
Technology	Polycrystalline Silicon
No. of Inverter	12 x 200kW
Invertor	String Inverter
Invertor design	Sungrow- 5G 250 H X NEW
PV Connectors	MC4 type, 1500VDC, IP68

Technical details of the machines installed are explained below:

B.2 Do no harm or Impact test of the project activity>>

Indian economy is highly dependent on "Coal" as fuel to generate energy and for production processes. Thermal power plants are the major consumers of coal in India and yet the basic electricity needs of a large section of population are not being met. This results in excessive demands for electricity and places immense stress on the environment.

Changing coal consumption patterns will require a multi-pronged strategy focusing on demand, reducing wastage of energy and the optimum use of renewable energy (RE) sources. This project is a greenfield activity where grid power is the baseline. The renewable power generation is gradually contributing to the share of clean & green power in the grid; however, grid emission factor is still on higher side which defines grid as distinct baseline.

The Government of India has stipulated following indicators for sustainable development in the interim approval guide lines for such projects which are contributing to GHG mitigations. The Ministry of Environment, Forests & Climate Change, has stipulated economic, social, environment and technological well-being as the four indicators of sustainable development. It has been envisaged

that the project shall contribute to sustainable development using the following ways:

Social well-being: The project would help in generating direct and indirect employment benefits accruing out of ancillary units for installing and maintenance during operation of the project activity. It will lead to development of infrastructure around the project area in terms of improved road network etc. and will also directly contribute to the development of renewable infrastructure in the region.


Environmental well-being: The project utilizes Solar energy for generating electricity which is a clean source of energy. The project activity will not generate any air pollution, wind pollution or solid waste to the environment which otherwise would have been generated through fossil fuels. Also, it will contribute to reduction GHG emissions. Thus, the project causes no negative impact on the surrounding environment contributing to environmental well-being.

Economic well-being: Being a renewable resource, using Solar energy to generate electricity contributes to conservation precious natural resources. The project contributes to the economic sustainability through promotion of decentralization of economic power, leading to diversification of the national energy supply, which is dominated by conventional fuel based generating units. Locally, improvement in infrastructure will provide new opportunities for industries and economic activities to be setup in the area. Apart from getting better employment opportunities, the local people will get better prices for their land, thereby resulting in overall economic development.

Technological well-being: The project activity leads to the promotion of 3 MW PV power generation project into the region and will promote practice for small scale industries to reduce the dependence on carbon intensive grid supply to meet the captive requirement of electrical energy and also increasing energy availability and improving quality of power under the service area. Hence, the project leads to technological well-being.

B.3. Baseline Emissions>>

In the absence of the project activity, the equivalent amount of electricity would have been imported from the regional grid (which is connected to the unified Indian Grid system (NEWNE Grid)), which is carbon intensive due to predominantly sourced from fossil fuel-based power plants.



Baseline Scenario:

Thus, this project activity was a voluntary investment which replaced equivalent amount of electricity from the Indian grid. The project proponent was not bound to incur this investment as it was not mandatory by national and sectoral policies. Thus, the continued operation of the project activity would continue to replace fossil fuel-based power plants and fight against the impacts of climate change. The Project Proponent hopes that carbon revenues generated from carbon credits trade will help repay the loans and help in the continued maintenance of this project activity.

B.4. Debundling>>

This project activity is not a de-bundled component of a larger project activity.

SECTION-C: Application of methodologies and standardized baselines

C.1. References to methodologies and standardized baselines >>

Sectoral Scope: 01 Energy industries (Renewable/Non-Renewable Sources)

TYPE I – Renewable Energy Projects

Applied Baseline Methodology: AMS-I.D.: "Grid connected renewable electricity generation", Version 18

C.2. Applicability of methodologies and standardized baselines >>

This project activity involves generation of grid connected electricity from the construction and operation of a new solar power-based power project. The project activity has installed capacity of 3 MW which will qualify for a small-scale project activity under Type-I of the Small-Scale methodology. The project status is corresponding to the methodology AMS-I.D., version 18 and applicability of methodology is discussed below:

Applicability Criterion	Project Case
1. This methodology comprises renewable energy	The project activity involves setting up
generation units, such as photovoltaic, hydro,	of a grid connected renewable energy
tidal/wave, wind, geothermal and renewable biomass:	(solar) generation plant and using it for captive consumption. Thus, the project
(a) Supplying electricity to a national or a regional grid; or	activity meets point (b) of the criteria 1.
(b) Supplying electricity to an identified consumer	
facility via national/regional grid through a	
contractual arrangement such as wheeling.	
2. This methodology is applicable to project activities	The option (a) of applicability criteria
that:	2 is applicable as project is a Greenfield
(a) Install a Greenfield plant;	plant /unit. Hence the project activity
(b) Involve a capacity addition in (an) existing plant(s);	meets the given applicability criterion.
(c) Involve a retrofit of (an) existing plant(s);	
(d) Involve a rehabilitation of (an) existing plant(s)/unit(s); or	
(e) Involve a replacement of (an) existing plant(s).	

 3. Hydro power plants with reservoirs that satisfy at least one of the following conditions are eligible to apply this methodology: (a) The project activity is implemented in existing reservoir, with no change in the volume of the reservoir; or (b) The project activity is implemented in existing reservoir, where the volume of the reservoir(s) is increased and the power density as per definitions given in the project emissions section, is greater than 4 W/m². (c) The project activity results in new reservoirs and the power density of the power plant, as per definitions given in the project emissions section, is greater than 4 W/m². 	The project activity involves installation of a ground mounted Solar Photovoltaic power plant. Hence, this criterion is not applicable.
4. If the new unit has both renewable and non-renewable components (e.g., a wind/diesel unit), the eligibility limit of 15 MW for a small-scale CDM project activity applies only to the renewable component. If the new unit co-fires fossil fuel, the capacity of the entire unit shall not exceed the limit of 15 MW.	The proposed project is 3 MW solar power project, i.e., only component is renewable power project below 15 MW, thus the criterion is not applicable to this project activity.
5. Combined heat and power (co-generation) systems are not eligible under this category	This is not relevant to the project activity as the project involves only solar power generating units.
6. In the case of project activities that involve the capacity addition of renewable energy generation units at an existing renewable power generation facility, the added capacity of the units added by the project should be lower than 15 MW and should be physically distinct1 from the existing units.	No capacity addition to the existing power plant is done. Therefore, this criterion is not applicable.
7. In the case of retrofit, rehabilitation or replacement, to qualify as a small-scale project, the total output of the retrofitted, rehabilitated or replacement power plant/unit shall not exceed the limit of 15 MW.	· ·
8. In the case of landfill gas, waste gas, wastewater treatment and agro-industries projects, recovered methane emissions are eligible under a relevant Type III category. If the recovered methane is used for electricity generation for supply to a grid, then the baseline for the electricity component shall be in accordance with procedure prescribed under this methodology. If the recovered methane is used for heat generation or cogeneration other applicable Type-I methodologies such as "AMS-I.C.: Thermal energy production with or without electricity" shall be explored.	This is not relevant to the project activity as the project involves only solar power generating units.

9. In case biomass is sourced from dedicated plantations,	No biomass is involved, the project is
the applicability criteria in the tool "Project emissions	only a solar power project and thus the
from cultivation of biomass" shall	criterion is not applicable to this
apply.	project activity.

C.3 Applicability of double counting emission reductions >>

The project was not applied under any other GHG mechanism. Hence the project will not cause double accounting of carbon credits (i.e., CoUs).

C.4. Project boundary, sources and greenhouse gases (GHGs)>>

As per applicable methodology AMS-I.D. Version 18.0, "The spatial extent of the project boundary includes the project power plant and all power plants connected physically to the electricity system."

Source		Gas	Included?	Justification/Explanation				
Baseline	Grid connected electricity generation	CO ₂	Yes	CO ₂ emissions from electricity generation in fossil fuel fired power plants				
		CH ₄	No	Minor emission source				
		N ₂ O	No	Minor emission source				
		Other	No	No other GHG emissions were emitted from the project				
	Greenfield Solar Power Project Activity	CO ₂	No	No CO ₂ emissions are emitted from the project				
Project		CH ₄	No	Project activity does not emit CH ₄				
		N ₂ O	No	Project activity does not emit N ₂ O				
		Other	No	No other emissions are emitted from the project				

C.5. Establishment and description of baseline scenario (UCR Protocol) >>

As per para 19 of the approved consolidated methodology AMS-I.D. Version 18, if the project activity is the installation of a new grid-connected renewable power plant/unit, the baseline scenario is the following:

"The baseline scenario is that the electricity delivered to the grid by the project activity would have otherwise been generated by the operation of grid-connected power plants and by the addition of new generation sources into the grid".

The project activity involves setting up of a new Solar Photovoltaic Plant to harness the green power from Solar energy and sell it to the grid. In the absence of the project activity, the equivalent amount of power would have been generated by the operation of grid-connected fossil fuel-based power plants and by the addition of new fossil fuel-based generation sources into the grid. The power produced at grid from the other conventional sources which are predominantly fossil fuel based. Hence, the baseline for the project activity is the equivalent amount of power produced at the Indian grid.

A "grid emission factor" refers to a CO₂ emission factor (tCO₂/MWh) which will be associated with

each unit of electricity provided by an electricity system. The UCR recommends an emission factor of 0.9 tCO₂/MWh for the 2013-2020 years as a fairly conservative estimate for Indian projects not previously verified under any GHG program. Also, for the vintage 2021, the combined margin emission factor calculated from CEA database in India results into same emission factors as that of the default value. Hence, the same emission factor has been considered to calculate the emission reduction.

Net GHG Emission Reductions and Removals

ERy = BEy - PEy - LEy

Where:

 $ER_{y} = Emission reductions in year y (tCO_{2}/y)$ $BE_{y} = Baseline Emissions in year y (tCO_{2}/y)$ $PE_{y} = Project emissions in year y (tCO_{2}/y)$ $LE_{y} = Leakage emissions in year y (tCO_{2}/y)$

Baseline Emissions

Baseline emissions include only CO₂ emissions from electricity generation in power plants that are displaced due to the project activity. The methodology assumes that all project electricity generation above baseline levels would have been generated by existing grid-connected power plants and the addition of new grid-connected power plants.

The baseline emissions are to be calculated as follows:

BEy EG_{PJ,v} X EF_{grid,v} Where: BE_v Baseline emissions in year y (tCO₂) = Quantity of net electricity generation that is produced and fed into the grid as a EG_{PLv} = result of the implementation of this project activity in year y (MWh). UCR recommended emission factor of 0.9 tCO₂/MWh has been considered, this is EFgrid,y = conservative as compared to the combined margin grid emission factor which can be derived from Database of Central Electricity Authority (CEA), India. (Reference: General Project Eligibility Criteria and Guidance, UCR Standard, page 4)

Hence,

Baseline Emissions Calculation								
Sr. No.	Year	EG _{py} (MWh)	$\mathrm{EF}_{\mathrm{grid},\mathrm{y}}$	BE_y (tCO ₂ e)				
1	2021	2,170	0.9	1,953				
2	2022	4,628	0.9	4,165				
3	BE	(tCO ₂ e) for the period 20	6,118					

Project Emissions

As per paragraph 39 of AMS-I.D. (Version 18.0), for most renewable energy project activities emission is zero.

Hence, PE = 0

Leakage Emissions

As per paragraph 42 of AMS-I.D. version-18, all projects other than Biomass projects have zero leakage.

Hence, LE = 0

Total Emission reduction by the project for the current monitoring period is calculated as below:

Hence, ER = 6,118 - 0 - 0 = 6,118 CoUs

C.6. Prior History>>

The project was not applied under any other GHG mechanism. Hence project will not cause double accounting of carbon credits (i.e., COUs).

C.7. Monitoring period number and duration>>

First Monitoring Period : 01 Year and 07 Months 17/06/2021 to 31/12/2022 (inclusive of both dates)

C.8. Changes to start date of crediting period >>

There is no change in start date of crediting period. Crediting period start date is 17/06/2021.

C.9. Permanent changes from PCN monitoring plan, applied methodology or applied standardized baseline >>

There are no permanent changes from registered PCN monitoring plan and applied methodology.

C.10. Monitoring plan>>

The project activity essentially involves generation of electricity from Solar Radiations, the employed SPV can only convert Solar energy into electrical energy and cannot use any other input fuel for electricity generation, thus no special ways and means are required to monitor leakage from the project activity. The recording of the electricity fed to the state utility grid is carried out jointly at the incoming feeder of the state power utility.

Data / Parameter	EG _{PJ,facility, y}						
Data unit	MWh						
Description	Net electricity supplied to the NEWNE grid facility by the project						
	activity for wheeling between 17/06/2021 to 31/12/2022.						
Source of data	SLDC Certificate/Energy Generation Report/Monthly Energy Invoices						
Measurement Data Type: Measured							
procedures (if any):	Monitoring equipment: Energy Meters are used for monitoring						
	Recording Frequency: Continuous monitoring and Monthly recording						
	from Energy Meters, Summarized Annually						
	Archiving Policy: Paper & Electronic						
	Calibration frequency: 5 years (as per CEA provision)						
	The Net electricity generation by the WTG is recorded at the sub-						
	station. At the end of every month, SLDC Certificate is generated based						
	on the total monthly electricity exported to the grid.						

Measurement Frequency:	Monthly
Value applied:	6,798 (Ex-post estimate)
QA/QC procedures applied:	Continuous monitoring, hourly measurement monthly recording. Tri-vector (TVM)/ABT energy meters with accuracy class 0.2s
Purpose of data:	The Data/Parameter is required to calculate the baseline emission.
Any comment:	Data will be archived electronically for a period of 36 months beyond the end of crediting period.

Data / Parameter	UCR recommended emission factor (EFgrid,y)					
Data unit	tCO ₂ /MWh					
Description	A "grid emission factor" refers to a CO ₂ emission factor (tCO ₂ /MWh) which will be associated with unit of electricity provided by an electricity system. The UCR recommends an emission factor of 0.9 tCO ₂ /MWh for the 2013 - 2020 years as a fairly conservative estimate for Indian projects not previously verified under any GHG program. Hence, the same emission factor has been considered to calculate the emission reduction under conservative approach.					
Source of data	https://a23e347601d72166dcd6- 16da518ed3035d35cf0439f1cdf449c9.ss1.cf2.rackcdn.com//Documents/UCRS tandardAug2022updatedVer5_030822005728911983.pdf					
Value applied	0.9					
Measurement methods and procedures	-					
Monitoring frequency	Ex-ante fixed parameter					
Purpose of Data	For the calculation of Emission Factor of the grid					
Additional Comment	The combined margin emission factor as per CEA database (current Version 16, Year 2021) results into higher emission factor. Hence for 2021 vintage UCR default emission factor remains conservative.					

ANNEXURE 1 (Emission Reduction Calculation)

3 MW Ground Mounted Solar Power Project by M/S Orito Polyfab Pvt. Ltd.												
			Month)	Nico Aga	receted	Enormy D	alivered	to Crid	(in D/1)A/1			
			Month - \	wise Agg	regated	Energy D	envered	to Grid		1)	•	
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2021	-	-	-	-	-	120.308	298.423	344.427	286.630	409.664	356.639	354.565
2022	416.740	414.101	479.876	437.574	376.204	375.465	303.208	297.616	390.294	363.593	372.467	400.891
Year-Wise Emission reduction calculation for the project activity												
Year	Total No. of Electricity delivered in MWh			Recommended emission factor tCO2/MWh			Total CoUs generated					
2021	2,170.656				0.9			1,953				
2022	4,628.029				0.9				4,165			
То	Total CoUs to be issued for the first monitoring period (Year: 2021-2022)										6,118	